

Név	Leírás	Mennyiség (kg)	Gyártó
2-Hydroxyethyl Acrylate	2-Hydroxyethylacrylat	10000,00	BASF
Acematt OK 607	fine particle sized wax-treated precipitated silica	75,00	Evonik
Alpha Methyl Styrene Dimer	CAS 6362-80-7, AMSD is a co-monomer used in olefin polymerization and acts as a chain terminator in plastics.	26000,00	SI Group
ARADUR 3985	Epoxy Curing Agent, Modified polyamine adduct dissolved in water	440,00	Huntsman
ARADUR 5049-1 CH	Epoxy hardener	1440,00	Huntsman
ARALDITE GT 7071 N	low melting solid unmodified epoxy resin based on Bisphenol A with narrow molecular weight distribution	350,00	Huntsman
Aspanger Mica TF	Aspanger Mica TF, from the T-series, is dry ground muscovite-type of a high aspect ratio and purity with a extremely low heavy metals content	2800,00	Aspanger
Bayhydrol U 2755/1	Aqueous hydroxyfunctional polyester-polyurethane dispersion, DMEA neutralized	630,00	Covestro
Bayhydrol UH XP 2660	Anionic aliphatic polyester-polyurethane dispersion, cosolvent-free.	1260,00	Covestro
BENATHIX	BENATHIX rheological additive is an extremely efficient, organically modified smectite clay developed to impart thixotropy and drainage control to unsaturated polyester laminating resins and gel coats.	710,00	Elementis
Brufablend Rot E27178	RAL 3013	75,00	Bruchsaler F.
Brufablend Rot E27325	RAL 3020	50,00	Bruchsaler F.
BRUFABLEND Yellow L 28447	RAL 1023	475,00	Bruchsaler F.
Butylacetat 98/100	CAS 123-86-4	790,00	Biesterfeld
CHE-WAX-O	Amide, C18 (ungesättigt) - Ölsäureamid	1000,00	CH Erbsloeh
DECOVERY SP-7100	Waterborne urethane for use in radiation curing coating applications	17000,00	Covestro
Dei Resin 3310 CX Verkehrsblau	RAL 5017	850,00	Deifel
Dei Resin A 1886 CX Tomatenrot	RAL 3013	400,00	Deifel
Desmodur 2873	Silane-functional aliphatic polyisocyanate based on hexamethylene diisocyanate	550,00	Covestro
Desmodur E 1160 MPA/X	aromatic polyisocyanate prepolymer based on toluene diisocyanate (TDI)	215,00	Covestro
Desmodur ultra E 3370	aliphatic polyisocyanate prepolymer based on hexamethylene diisocyanate (HDI)	220,00	Covestro
Desmodur Z 2589	Isocyanurate resin from isophorone diisocyanate (IPDI). Desmodur® Z 2589 is a micronized colorless to slightly yellowish isocyanate resin in powdered form.	48,00	Covestro

Név	Leírás	Mennyiség (kg)	Gyártó
DISFLAMOLL DPK	cresyl diphenyl phosphate (CDP)	2000,00	Lanxess
Dispex CX 4225	Anionic dispersing agents based on polyacrylic acid, 32 % solid,	41800,00	BASF
EBECRYL 168	methacrylate modified acidic adhesion promoting agent designed as a modifier for ultraviolet and electron beam curable coatings on metal. It is recommended for use in: general metal coatings and primers, coatings for galvanized pipe and tube, coil coatings, and solder resist formulations.	1373,00	Allnex
Erisys GA-240	tetrafunctional epoxy resin based on meta-Xylenediamine	295,00	Huntsman
Foamaster MO 2111	Defoamer on the basis of: mineral oil, non-ionic surfactants	14450,00	BASF
Foamstar ED 2521	FoamStar ED 2521 is an excellent universal emulsion defoamer for all	7200,00	BASF
	flat to semi-gloss aqueous coatings:		
	· excellent foam suppression during grinding as well as application		
	· retains antifoam efficiency during extended storage of paint		
	· easy to incorporate without requiring strong shear forces		
	· no loss of gloss, no fogging		
Foamstar ED 2523	Emulsion defoamer, polymer emulsion with small amounts of modified PDMS	9400,00	BASF
Foamstar SI 2216	Defoamer for aqueous systems; especially suitable for solvent-free and binder-free pigment pastes, industrial wood coatings and pigmented UV-curable coats.	900,00	BASF
	Organically modified polysiloxanes		
FR CROS 484	Ammonium polyphosphate	1000,00	Budenheim
HARDENER HV 997-1 GB	Epoxy hardener	3540,00	Huntsman
Hydropalat WE 3112	an emulsifier for emulsion polymerization and	22420,00	BASF
	wetting agent for dispersion paints.		
HYPERLITE 1674	reactive polyether triol	7000,00	Covestro
Laroflex MP 35	Copolymer of vinyl chloride and vinyl isobutyl ether	300,00	BASF
Laromer UA 9149 Aqua	Urethane modified acrylic resin for the formulation of radiation curable coatings for wood, wood products, paper and plastics (e.g. PVC)	14200,00	BASF
Laromer UA 9164 Aqua	Water based urethane acrylate dispersion for the formulation of radiation curable coatings for wood, wood products, paper and plastic applications	14500,00	BASF SE
Lutron KS 1	Polyglykol Ether modified	4440,00	BASF

Név	Leírás	Mennyiség (kg)	Gyártó
Methocel 10-0525	Hydroxypropyl Methylcellulose	4430,00	DuPont
Methocel 3 DP 15 LV	Hypromellose	15650,00	DuPont
	HYDROXYPROPOXYL CONTENT - 27,5 %		
	METHOXYL CONTENT - 24,5 %		
Minigrain M0	Cristobalit	2500,00	Ziegler Minerals
Minigrain M1	Cristobalit	10000,00	Ziegler Minerals
Necowel 5100	rheologically modified, medium oil alkyd resin emulsion	4450,00	ASK Chemicals
NEORAD A-20	Acrylated acrylic for energy curable systems and dual cure systems	8000,00	Covestro
	Liquid, diluted with 50% butyl acetate		
Optigel WX	Rheology additive based on an activated phyllosilicate for aqueous systems and mineral pre-mix mortars to generate thixotropic flow behavior.	400,00	Byk
PHENODUR PR 263/70B	curable phenolic resin developed as a binder for shop- and washprimers. It has excellent pigment wetting properties.	5950,00	Allnex
	70 % in butanol (70B)		
PHENODUR VPW 1942/52WA	formulated phenolic/epoxide system, intended as sole-binder for the interior and exterior coating of metallic packaging materials and for corrosion resistant industrial stoving systems.	13600,00	Allnex
Plextol R 272	fine particle size, surfactant stabilised, self crosslinking acrylic copolymer d	6500,00	Synthomer
TEOS-Hexanol solution	Solution of 40 % Tetraethoxysilane (Dynasylan A) and 60 % Hexanol (Nacol 6-98)	2510,00	Clariant
TEXTURECEL VP-C-1913	Sodium carboxymethyl cellulose (Polyanionic Cellulose Polymer)	22325,00	DDP
URALAC CP 6670 AD	SATURATED POLYESTER RESIN, 65 % in Acetone.	10000,00	Covestro
	Suitable for a range of interior and exterior applications including primers and topcoats on wood and metal including corrosion resistant primers		
Vinnol H 40/43	VINYL CHLORIDE COPOLYMER	1256,00	Wacker
	a copolymer of approx. 66 wt.% vinyl chloride (VC) and approx. 34 wt.% of vinyl acetate (VAc).		
Voranate M229	A dark-brown, low viscosity liquid polymethylene polyphenylisocyanate, MDI, with an average functionality of 2.7	5000,00	Dow

A termékek a készlet erejéig elérhetők és az első rendelés kerül kiszolgálásra.